

Product	TemPageR 3E	Room Alert 4E	Signal Tower External	Signal Tower Ext w/Audio	Room Alert 11E	Room Alert 24E	Room Alert 26WO	Room Alert 26W
Value Rating	GOOD	VERY GOOD	VERY GOOD	VERY GOOD	GREAT	EVEN GREATER	ULTIMATE	ULTIMATE with WIRELESS
Product Category	Temperature Monitor	Environment Monitor	Environment Monitor	Environment Monitor	Environment Monitor	Environment Monitor	Environment Monitor	Environment Monitor w/Wireless
Product # - Box Model	TMP3-ES1-BAS	RA4E-ES1-BAS	RASTX-2RG-BAS	RASTAX-RYG-BAS	RA11E-TH1-BAS	RA24E-TH1-RAS	RA26WO-WS0-RAS	RA26W-WS1-RAS
Product # - Rack Model	TMP3-ES1-RAS	RA4E-ES1-RAS	RAST-2RG-RAS	RASTX-RYG-RAS	RA11E-TH1-RAS	RA24E-TH1-RAS	RA26WO-WS0-RAS	RA26W-WS1-RAS

Hardware (ID Box)	TemPageR 3E	Room Alert 4E	Signal Tower External	Signal Tower Ext w/Audio	Room Alert 11E	Room Alert 24E	Room Alert 26WO	Room Alert 26W
ID Box Model / Rack Model	TMP3E / TMP3ER	RA4E / RA4ER	RASTX / RASTXR	RASTAX / RASTAXR	RA11E / RA11ER	RA24E	RA26WO	RA26W
ID Box Dimensions	1.25" H x 2.25" D x 4.56" W	1.25" H x 2.25" D x 4.56" W	1.25" H x 2.25" D x 4.56" W	1.25" H x 2.25" D x 4.56" W	1.25" H x 2.25" D x 4.56" W	1.75" H x 3.75" D x 19" W	1.75" H x 3.75" D x 19" W	1.75" H x 3.75" D x 19" W
ID Box Weight	9 oz	9 oz	1 lb 2 oz	1 lb 6 oz	10.5 oz	5 lb 4 oz	5 lb 15 oz	6 lb 3 oz
ID Box Color	Blue	Red	Red	Red	Red	Red	Red	Red
Rack Mounted Model	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Included (Standard)	Included (Standard)	Included (Standard)
Rack Mounted Size (1U 19")	1.75" H x 2.25" D x 19" W	1.75" H x 2.25" D x 19" W	1.75" H x 2.25" D x 19" W	1.75" H x 2.25" D x 19" W	1.75" H x 2.25" D x 19" W	1.75" H x 3.75" D x 19" W	1.75" H x 3.75" D x 19" W	1.75" H x 3.75" D x 19" W
Rack Mounted Weight	1 lb 7 oz	1 lb 7 oz	2 lb 0 oz	2 lb 4 oz	1 lb 9 oz	5 lb 4 oz	5 lb 15 oz	6 lb 3 oz
Rack Mounted Color	Blue	Red	Red	Red	Red	Red	Red	Red
Rack Mounting Kit Available Separately	Yes, \$50	Yes, \$50	Yes, \$50	Yes, \$50	Yes, \$50	Included	Included	Included
Wall Mounting Kit Available Separately	Yes, \$12	Yes, \$12	Yes, \$12	Yes, \$12	Yes, \$12	Included (Rotate Wings)	Included (Rotate Wings)	Included (Rotate Wings)
Ceiling Mounting Kit Available Separately	Yes, \$22	Yes, \$22	Yes, \$22	Yes, \$22	Yes, \$22	Included (Rotate Wings)	Included (Rotate Wings)	Included (Rotate Wings)
Operating Temperature	-40° to 185° F (-40° to 85° C)	-40° to 185° F (-40° to 85° C)	-40° to 185° F (-40° to 85° C)	-40° to 185° F (-40° to 85° C)	-40° to 185° F (-40° to 85° C)	-40° to 185° F (-40° to 85° C)	-40° to 185° F (-40° to 85° C)	-40° to 185° F (-40° to 85° C)
Operating Relative Humidity (Non-Condensing)	5% - 85% RH	5% - 85% RH	5% - 85% RH	5% - 85% RH	5% - 85% RH	5% - 85% RH	5% - 85% RH	5% - 85% RH
Power Source (Included)	5 VDC 1A Adapter	5 VDC 1A Adapter	5 VDC 1A Adapter	5 VDC 1A Adapter	5 VDC 1A Adapter	5 VDC 1A Adapter	5 VDC 1A Adapter	5 VDC 1A Adapter
Power Compatibility	110/240 VAC, 50/60 Hz, RoHS	110/240 VAC, 50/60 Hz, RoHS	110/240 VAC, 50/60 Hz, RoHS	110/240 VAC, 50/60 Hz, RoHS	110/240 VAC, 50/60 Hz, RoHS	110/240 VAC, 50/60 Hz, RoHS	110/240 VAC, 50/60 Hz, RoHS	110/240 VAC, 50/60 Hz, RoHS
External Light Tower Connection Port	No	Yes	Yes	Yes	No	No	No	No
External Light Tower, Cable & Mounting Bracket	No	No	Yes, Red-Green	Yes, Red-Yellow-Green w/Audio	No	No	No	No
Built-In Uninterruptible Power Supply (UPS)	No	No	No	No	No	No	Yes	No
International Power Adapter Provided	Specific For Destination Country	Specific For Destination Country	Specific For Destination Country	Specific For Destination Country	Specific For Destination Country	Specific For Destination Country	Specific For Destination Country	Specific For Destination Country
Mini UPS (MUPS) Compatible, Upgrade Cost	Yes, \$50 Upgrade	Yes, \$50 Upgrade	Yes, \$50 Upgrade	Yes, \$50 Upgrade	Yes, \$50 Upgrade	Yes, \$50 Upgrade	Yes, \$50 Upgrade	Yes, \$50 Upgrade
Ethernet Port & Speed	RJ-45, 10/100 Mbps BaseTX	RJ-45, 10/100 Mbps BaseTX	RJ-45, 10/100 Mbps BaseTX	RJ-45, 10/100 Mbps BaseTX	RJ-45, 10/100 Mbps BaseTX	RJ-45, 10/100 Mbps BaseTX	RJ-45, 10/100 Mbps BaseTX	RJ-45, 10/100 Mbps BaseTX
Ethernet Link & Activity Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ethernet Cable (Included)	10', Blue, Snagless	10', Red, Snagless	10', Red, Snagless	10', Red, Snagless	10', Red, Snagless	10', Red, Snagless	10', Red, Snagless	10', Red, Snagless

Web Server (Built-In Firmware)	TemPageR 3E	Room Alert 4E	Signal Tower External	Signal Tower Ext w/Audio	Room Alert 11E	Room Alert 24E	Room Alert 26WO	Room Alert 26W
Standalone Capability (No PC Required)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Built-In Web Server	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Web Browser Interface	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Password Protected	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Built-In Web Server Alert Methods	Email, SMS, SNMP, Web	Email, SMS, SNMP, Web	Email, SMS, SNMP, Web	Email, SMS, SNMP, Web	Email, SMS, SNMP, Web	Email, SMS, SNMP, Web	Email, SMS, SNMP, Web	Email, SMS, SNMP, Web
Built-In Web Server Alert Recipients	Individuals, Groups	Individuals, Groups	Individuals, Groups	Individuals, Groups	Individuals, Groups	Individuals, Groups	Individuals, Groups	Individuals, Groups
Built-In Ping Capability	No	Yes, 8 Devices	Yes, 8 Devices	Yes, 8 Devices	No	No	No	No
Graphic Sensor Status Displays	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Real-Time Digital Temperature	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Temperature Values Displayed	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius
Temperature High / Low Watermarks Displayed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heat Index Calculated & Displayed	*	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius	Yes, Fahrenheit or Celsius
Real-Time Digital Humidity	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Humidity Values Displayed	*	Yes, % Relative Humidity	Yes, % Relative Humidity	Yes, % Relative Humidity	Yes, % Relative Humidity	Yes, % Relative Humidity	Yes, % Relative Humidity	Yes, % Relative Humidity
Humidity High / Low Watermarks Displayed	*	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Real-Time Values In Alerts	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Easy Click Firmware Updates	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SNMP Enabled (Trap & Query)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Compatible With SNMP Monitoring Applications	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Real-Time Logging Of Sensor Data Via...	Device MgR, PageR & SNMP SW	Device MgR, PageR & SNMP SW	Device MgR, PageR & SNMP SW	Device MgR, PageR & SNMP SW	Device MgR, PageR & SNMP SW	Device MgR, PageR & SNMP SW	Device MgR, PageR & SNMP SW	Device MgR, PageR & SNMP SW
Real-Time Sensor Data Feeds	HTTP, SNMP, AJAX	HTTP, SNMP, AJAX	HTTP, SNMP, AJAX	HTTP, SNMP, AJAX	HTTP, SNMP, AJAX	HTTP, SNMP, AJAX	HTTP, SNMP, AJAX	HTTP, SNMP, AJAX

Digital Sensors (Internal & External)	TemPageR 3E	Room Alert 4E	Signal Tower External	Signal Tower Ext w/Audio	Room Alert 11E	Room Alert 24E	Room Alert 26WO	Room Alert 26W
Digital Sensor Compatibility	Temperature	Temperature, Temp/Humidity	Temperature, Temp/Humidity	Temperature, Temp/Humidity	Temperature, Temp/Humidity	Temperature, Temp/Humidity, Power	Temperature, Temp/Humidity, Power	Temperature, Temp/Humidity, Power
Built-In Digital Sensors (Internal)	Temperature	Temperature	Temperature	Temperature	None	Temperature, Humidity	Temperature, Humidity	Temperature, Humidity
Digital Sensor Ports (External)	2 RJ-11	2 RJ-11	2 RJ-11	2 RJ-11	3 RJ-11	6 RJ-11	6 RJ-11	6 RJ-11
Digital Sensor Capacity (Total)	3	3	3	3	3	8	8	53 (45 Via Wireless)
Digital Temperature Sensors (Included)	1 Internal, 1 External	1 Internal, 1 External	1 Internal, 0 External	1 Internal, 0 External	0 Internal, 2 External	1 Internal, 1 External	1 Internal, 1 External	1 Internal, 1 External, 1 Wireless
Digital Temperature Sensor Range	-67° to 257°F (-55° to 125°C)	-67° to 257°F (-55° to 125°C)	-67° to 257°F (-55° to 125°C)	-67° to 257°F (-55° to 125°C)	-67° to 257°F (-55° to 125°C)	-67° to 257°F (-55° to 125°C)	-67° to 257°F (-55° to 125°C)	-67° to 257°F (-55° to 125°C)
Digital Temperature Sensor Accuracy	+/- 0.125°	+/- 0.125°	+/- 0.125°	+/- 0.125°	+/- 0.125°	+/- 0.125°	+/- 0.125°	+/- 0.125°
Digital Humidity Sensors (Included)	*	0 External	0 External	0 External	1 External	1 Internal, 0 External	1 Internal, 0 External	1 Internal, 0 External
Digital Humidity Sensor Range	*	0% to 100% RH	0% to 100% RH	0% to 100% RH	0% to 100% RH	0% to 100% RH	0% to 100% RH	0% to 100% RH
Digital Humidity Sensor Accuracy	*	+/- 3.5%	+/- 3.5%	+/- 3.5%	+/- 3.5%	+/- 3.5%	+/- 3.5%	+/- 3.5%
Digital Sensor Cable Type & Standard Length	RJ-11 Cable, 25'	RJ-11 Cable, 25'	RJ-11 Cable, 25'	RJ-11 Cable, 25'	RJ-11 Cable, 25'	RJ-11 Cable, 25'	RJ-11 Cable, 25'	RJ-11 Cable, 25'
Maximum Digital Sensor Cable Length	Approximately 100'	Approximately 100'	Approximately 100'	Approximately 100'	Approximately 100'	Approximately 100'	Approximately 100'	Approximately 100'

Switch Sensors (Internal & External)	TemPageR 3E	Room Alert 4E	Signal Tower External	Signal Tower Ext w/Audio	Room Alert 11E	Room Alert 24E	Room Alert 26WO	Room Alert 26W
Switch Sensor Contact Sets (External)	None	1 On Front Side	1 On Front Side	1 On Front Side	8 On Back Side	16 On Back Side	16 On Back Side	16 On Back Side
Switch Sensor Capacity	*	1, Unlimited **	1, Unlimited **	1, Unlimited **	8, Unlimited **	16, Unlimited **	16, Unlimited **	18+, Unlimited **
Built-In Switch Sensors (Internal)	*	None	None	None	None	None	Power, Flood	Power, Flood
Power Sensor	*	1 External Included	1 External Included	1 External Included	1 External Included	1 External Included	1 External Included	1 Internal Included
Mini UPS & Power Sensor	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade	Optional, \$50 Upgrade
Flood Sensor	*	Optional	Optional	Optional	Optional	Optional	1 Included (Internal, Add Cable)	1 Included (Internal, Add Cable)
Smoke Sensor	*	Optional	Optional	Optional	Optional	Optional	Optional	Optional
IP Camera With Motion Sensor	*	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Air Flow Sensor	*	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Room Entry Sensor	*	Optional	Optional	Optional	Optional	Optional	Included	Included
Panic Button	*	Optional	Optional	Optional	Optional	Optional	Optional	Optional

Dry Contacts (On Other Sensors or Devices)	*	Air Conditioner, UPS, Cooler, Etc.	Air Conditioner, UPS, Cooler, Etc.	Air Conditioner, UPS, Cooler, Etc.	Air Conditioner, UPS, Cooler, Etc.	Air Conditioner, UPS, Cooler, Etc.	Air Conditioner, UPS, Cooler, Etc.	Air Conditioner, UPS, Cooler, Etc.
Allows Multiple Sensors On Single Channel **	*	Yes, Via Chain or Spoke **	Yes, Via Chain or Spoke **	Yes, Via Chain or Spoke **	Yes, Via Chain or Spoke **	Yes, Via Chain or Spoke **	Yes, Via Chain or Spoke **	Yes, Via Chain or Spoke **
Switch Sensor Cable Type & Standard Length	*	2 Wire Cable, 25'	2 Wire Cable, 25'	2 Wire Cable, 25'	2 Wire Cable, 25'	2 Wire Cable, 25'	2 Wire Cable, 25'	2 Wire Cable, 25'
Maximum Switch Sensor Cable Length	*	Approximately 900'	Approximately 900'	Approximately 900'	Approximately 900'	Approximately 900'	Approximately 900'	Approximately 900'

Wireless Sensor Hubs**TemPageR 3E****Room Alert 4E****Signal Tower External****Signal Tower Ext w/Audio****Room Alert 11E****Room Alert 24E****Room Alert 26WO****Room Alert 26W**

WiSH Sensor Compatible (Powered or Battery)	No	No	No	No	No	No	No	Yes
WiSH Units Included	*	*	*	*	*	*	*	1 WiSH (Powered)
WiSH Communication Range (Distance)	*	*	*	*	*	*	*	250' Maximum
WiSPR Sensor Compatible	No	No	No	No	No	No	No	Yes
WiSPR Units Included	*	*	*	*	*	*	*	0
WiSPR Communication Range (Distance)	*	*	*	*	*	*	*	350' Maximum
Maximum WiSH/WiSPR Capacity (Quantity)	*	*	*	*	*	*	*	15

Bundled Device Manager Software (No Charge)**TemPageR 3E****Room Alert 4E****Signal Tower External****Signal Tower Ext w/Audio****Room Alert 11E****Room Alert 24E****Room Alert 26WO****Room Alert 26W**

Device Manager Software License	Full Use License	Full Use License	Full Use License	Full Use License	Full Use License	Full Use License	Full Use License	Full Use License
Monitor & Manage Unlimited Devices Network-Wide	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Discover Devices Via UDP, TCP & Bonjour	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Monitor Discovery Across Different Subnets	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Set IP Addresses For One Or Multiple Units Automatically	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Auto Discover Out Of Date Firmware (Coming Soon)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Upgrade Firmware For Multiple Monitors Simultaneously	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Copy Configurations To Multiple Monitors Simultaneously	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Graphic Display Of Hardware Monitor Model In Use	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Embedded SQL Database Storing Unmodified Data	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Unlimited Data Logging (Limited Only By Disk Space)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
One Click Data Export In Standard Formats	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sensor & Data Graphing Via Web Interface	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Allows Side By Side Sensor Graphing For Comparison	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Password Security	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Simultaneous Multi-User Access Via Web Browser	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Runs As A Windows Service For Security & Stability	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Support For Use On Linux & Apple OS X (Coming Soon)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ping Capability For Servers & Devices	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Discovery Of Axis Cameras	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Current MSUS Required For Use & Download Access	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Bundled PageR Enterprise Software (No Charge)	TemPageR 3E	Room Alert 4E	Signal Tower External	Signal Tower Ext w/Audio	Room Alert 11E	Room Alert 24E	Room Alert 26WO	Room Alert 26W
PageR Enterprise Software License	PageR 5 Object Enterprise	PageR 10 Object Enterprise	PageR 10 Object Enterprise	PageR 10 Object Enterprise	PageR 10 Object Enterprise	PageR 20 Object Enterprise	PageR 20 Object Enterprise	PageR 20 Object Enterprise
PageR Edition	Enterprise Edition	Enterprise Edition	Enterprise Edition	Enterprise Edition	Enterprise Edition	Enterprise Edition	Enterprise Edition	Enterprise Edition
PageR License Level	5 Object License	10 Object License	10 Object License	10 Object License	10 Object License	20 Object License	20 Object License	20 Object License
License Upgrades Available	Optional, 5 Levels	Optional, 5 Levels	Optional, 5 Levels	Optional, 5 Levels	Optional, 5 Levels	Optional, 4 Levels	Optional, 4 Levels	Optional, 4 Levels
License Upgrade Credit	\$95	\$195	\$195	\$195	\$195	\$395	\$395	\$395
Host System OS	Windows NT, 2K, XP, 2K3, VISTA	Windows NT, 2K, XP, 2K3, VISTA	Windows NT, 2K, XP, 2K3, VISTA	Windows NT, 2K, XP, 2K3, VISTA	Windows NT, 2K, XP, 2K3, VISTA	Windows NT, 2K, XP, 2K3, VISTA	Windows NT, 2K, XP, 2K3, VISTA	Windows NT, 2K, XP, 2K3, VISTA
Alert Methods (Types)	Email, SMS, SNMP, Dial-Out, Windows Messenger, Windows Pop-Up Broadcast, Audio, Skype, Fax, Logfile, Web Page, Console...	Email, SMS, SNMP, Dial-Out, Windows Messenger, Windows Pop-Up Broadcast, Audio, Skype, Fax, Logfile, Web Page, Console...	Email, SMS, SNMP, Dial-Out, Windows Messenger, Windows Pop-Up Broadcast, Audio, Skype, Fax, Logfile, Web Page, Console...	Email, SMS, SNMP, Dial-Out, Windows Messenger, Windows Pop-Up Broadcast, Audio, Skype, Fax, Logfile, Web Page, Console...	Email, SMS, SNMP, Dial-Out, Windows Messenger, Windows Pop-Up Broadcast, Audio, Skype, Fax, Logfile, Web Page, Console...	Email, SMS, SNMP, Dial-Out, Windows Messenger, Windows Pop-Up Broadcast, Audio, Skype, Fax, Logfile, Web Page, Console...	Email, SMS, SNMP, Dial-Out, Windows Messenger, Windows Pop-Up Broadcast, Audio, Skype, Fax, Logfile, Web Page, Console...	Email, SMS, SNMP, Dial-Out, Windows Messenger, Windows Pop-Up Broadcast, Audio, Skype, Fax, Logfile, Web Page, Console...
Alert Devices (Examples)	Mobile Phone, Pager, PDA, BlackBerry, Computer, Console, Web Page, Log File, Desktop, Light Tower, Audio, Fax, Phone, Network Device, etc.	Mobile Phone, Pager, PDA, BlackBerry, Computer, Console, Web Page, Log File, Desktop, Light Tower, Audio, Fax, Phone, Network Device, etc.	Mobile Phone, Pager, PDA, BlackBerry, Computer, Console, Web Page, Log File, Desktop, Light Tower, Audio, Fax, Phone, Network Device, etc.	Mobile Phone, Pager, PDA, BlackBerry, Computer, Console, Web Page, Log File, Desktop, Light Tower, Audio, Fax, Phone, Network Device, etc.	Mobile Phone, Pager, PDA, BlackBerry, Computer, Console, Web Page, Log File, Desktop, Light Tower, Audio, Fax, Phone, Network Device, etc.	Mobile Phone, Pager, PDA, BlackBerry, Computer, Console, Web Page, Log File, Desktop, Light Tower, Audio, Fax, Phone, Network Device, etc.	Mobile Phone, Pager, PDA, BlackBerry, Computer, Console, Web Page, Log File, Desktop, Light Tower, Audio, Fax, Phone, Network Device, etc.	Mobile Phone, Pager, PDA, BlackBerry, Computer, Console, Web Page, Log File, Desktop, Light Tower, Audio, Fax, Phone, Network Device, etc.
Alert Hierarchies & Escalation Schedules	Yes, 20 Levels	Yes, 20 Levels	Yes, 20 Levels	Yes, 20 Levels	Yes, 20 Levels	Yes, 20 Levels	Yes, 20 Levels	Yes, 20 Levels
Alert Limits	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Alert Delay (Wait) Capability	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Contact Limits	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Contact Groups	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Automatic Response On Event Start	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Response On Event Resolve	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Action Capability	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Command Capability	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Script Capability	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Scheduling	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Dependencies (Prioritized Alerting)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Alarm Cancel Notifications	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Web Browser Interface	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Access Levels	3	3	3	3	3	3	3	3
Password Security	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Simultaneous Users	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Manual Text Messaging Interface	Yes, Secure, Logged	Yes, Secure, Logged	Yes, Secure, Logged	Yes, Secure, Logged	Yes, Secure, Logged	Yes, Secure, Logged	Yes, Secure, Logged	Yes, Secure, Logged
SNMP Trap & Query Enabled	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SNMP MIBS Built-In (For All Market Leading Products)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Application Notes Available	Yes, In Manual, On CD & Online	Yes, In Manual, On CD & Online	Yes, In Manual, On CD & Online	Yes, In Manual, On CD & Online	Yes, In Manual, On CD & Online	Yes, In Manual, On CD & Online	Yes, In Manual, On CD & Online	Yes, In Manual, On CD & Online
Network-Wide Monitoring	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Maximum TemPageR & Room Alert Units Monitored	Unlimited, Single Screen	Unlimited, Single Screen	Unlimited, Single Screen	Unlimited, Single Screen	Unlimited, Single Screen	Unlimited, Single Screen	Unlimited, Single Screen	Unlimited, Single Screen
Logging Of Real-Time Data	Yes, Limited Only By Disk Space	Yes, Limited Only By Disk Space	Yes, Limited Only By Disk Space	Yes, Limited Only By Disk Space	Yes, Limited Only By Disk Space	Yes, Limited Only By Disk Space	Yes, Limited Only By Disk Space	Yes, Limited Only By Disk Space
Easy To Use Graphic Interface	Yes, No Rules, No Agents	Yes, No Rules, No Agents	Yes, No Rules, No Agents	Yes, No Rules, No Agents	Yes, No Rules, No Agents	Yes, No Rules, No Agents	Yes, No Rules, No Agents	Yes, No Rules, No Agents
Maintenance Support & Update Service (MSUS)	12 Months Included, Unlimited	12 Months Included, Unlimited	12 Months Included, Unlimited	12 Months Included, Unlimited	12 Months Included, Unlimited	12 Months Included, Unlimited	12 Months Included, Unlimited	12 Months Included, Unlimited
Unlimited Toll Free Technical Support	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Assigned Product Specialist	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Software Distribution	Download & CD Media	Download & CD Media	Download & CD Media	Download & CD Media	Download & CD Media	Download & CD Media	Download & CD Media	Download & CD Media
Software & Firmware Update Frequency	4-6 Times Per Year	4-6 Times Per Year	4-6 Times Per Year	4-6 Times Per Year	4-6 Times Per Year	4-6 Times Per Year	4-6 Times Per Year	4-6 Times Per Year
CD Updates Shipped	1-2 Times Per Year	1-2 Times Per Year	1-2 Times Per Year	1-2 Times Per Year	1-2 Times Per Year	1-2 Times Per Year	1-2 Times Per Year	1-2 Times Per Year
PageR Getting Started Manual (PDF, Start Menu & Print)	Yes, 28 Pg	Yes, 28 Pg	Yes, 28 Pg	Yes, 28 Pg	Yes, 28 Pg	Yes, 28 Pg	Yes, 28 Pg	Yes, 28 Pg
PageR Documentation (PDF & Start Menu, Print Available)	Yes, 600+ Pg	Yes, 600+ Pg	Yes, 600+ Pg	Yes, 600+ Pg	Yes, 600+ Pg	Yes, 600+ Pg	Yes, 600+ Pg	Yes, 600+ Pg
Current MSUS Required For New Software Keys	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Prices & Delivery	TemPageR 3E	Room Alert 4E	Signal Tower External	Signal Tower Ext w/Audio	Room Alert 11E	Room Alert 24E	Room Alert 26WO	Room Alert 26W
List Price - Standard Model	\$275	\$375	\$445	\$525	\$495	\$695	\$895	\$1,095
List Price - Rack Mounted Model	\$325	\$425	\$495	\$575	\$545	\$695	\$895	\$1,095
List Price - Rack Mount Kit (If Purchased Separately)	\$50	\$50	\$50	\$50	\$50	Included (Standard)	Included (Standard)	Included (Standard)
First Year Maintenance Support & Update Service (MSUS)	No Charge	No Charge	No Charge	No Charge	No Charge	No Charge	No Charge	No Charge
Optionally Renewable Annual MSUS Extension ***	\$55	\$75	\$75	\$75	\$75	\$155	\$155	\$155
Available For Purchase Via	Resellers, Direct & Online	Resellers, Direct & Online	Resellers, Direct & Online	Resellers, Direct & Online	Resellers, Direct & Online	Resellers, Direct & Online	Resellers, Direct & Online	Resellers, Direct & Online
Optional Payment Methods	Credit Card, Check, Wire	Credit Card, Check, Wire	Credit Card, Check, Wire	Credit Card, Check, Wire	Credit Card, Check, Wire	Credit Card, Check, Wire	Credit Card, Check, Wire	Credit Card, Check, Wire
Available Via Resellers Worldwide	Yes, Have Your Reseller Call Us	Yes, Have Your Reseller Call Us	Yes, Have Your Reseller Call Us	Yes, Have Your Reseller Call Us	Yes, Have Your Reseller Call Us	Yes, Have Your Reseller Call Us	Yes, Have Your Reseller Call Us	Yes, Have Your Reseller Call Us
Available Discount Programs (Ask Us)	VOL, EDU, NFP, GOV	VOL, EDU, NFP, GOV	VOL, EDU, NFP, GOV	VOL, EDU, NFP, GOV	VOL, EDU, NFP, GOV	VOL, EDU, NFP, GOV	VOL, EDU, NFP, GOV	VOL, EDU, NFP, GOV
Unlimited Toll Free Technical Support	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Assigned Product Specialist	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
30 Day Satisfaction Guarantee	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hardware Replacement Guarantee	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Delivery Method (Default)	Least Cost UPS	Least Cost UPS	Least Cost UPS	Least Cost UPS	Least Cost UPS	Least Cost UPS	Least Cost UPS	Least Cost UPS
Overnight & Special Delivery Options	Optional, Upon Request	Optional, Upon Request	Optional, Upon Request	Optional, Upon Request	Optional, Upon Request	Optional, Upon Request	Optional, Upon Request	Optional, Upon Request
Shipment Processed Same Or Next Business Day	99% If Received By 3:00 EST	99% If Received By 3:00 EST	99% If Received By 3:00 EST	99% If Received By 3:00 EST	99% If Received By 3:00 EST	99% If Received By 3:00 EST	99% If Received By 3:00 EST	99% If Received By 3:00 EST

* **NOTE:** This 'Does Not Apply' to this product.

** **NOTE:** The process of 'Chaining' or 'Spoking' multiple switch sensors together is sometimes possible although not recommended by AVTECH. There is no individual sensor alerting when multiple sensors are 'Chained' or 'Spoked' from a single switch sensor channel. If multiple sensors connected to a single switch sensor channel, they should typically ALL be 'Normally Closed'.

*** **NOTE:** The first year of MSUS is always provided without charge. Optional extensions of the MSUS are available on an optional basis. This line item is the renewal rate for 12 month extensions of this model. As your organization licenses additional units, the per unit cost for this service is reduced. Significant decreases occur after 10 and 20 units . Call a Product Specialist for more information or a quote.